References

Deka, H. K., Philip, V., Vinod, K. K. and Krishnakumar, A. K. (1998). Spatial distribution of soil microflora in a five year old rubber plantation in Tripura. *Indian Journal of Natural Rubber Research*, **11**(1&2): 88-93.

Dhumal, K. N. and Nimbalkar, J. D. (1982). Physiological studies on grassy shoot disease infected sugarcane cultivars. *Indian Phytopathology*, **35**: 341-342.

Edathil, T. T., Jacob, C. K. and Joseph, A. (2000). Leaf diseases. *In: Natural Rubber: Agromanagement and Crop Processing.* (Eds. P. J. George and C. Kuruvilla Jacob). RubberResearch Institute of India, Kottayam, India, pp. 273-276.

Evueh, G. A. and Ogbebor, N. O. (2008). Use of phylloplane fungi as biocontrol agent against *Colletotrichum* leaf disease of rubber (*Hevea brasiliensis* Muell. Arg.). *African Journal of Biotechnology,* Vol. **7**(15) pp. 2569-2572.

Gogoi Sabi, Bhuyan, M.K., Karmakar R.M. (2003). Dynamics of microbial population in tea ecosystem. *Journal of the Indian Society of Soil Science*, **51**: 3.

Sripati Rao, B. (1995). Maladies of *Hevea* in Malaya. Rubber Research Institute of Malaysia, Kuala Lampur, Malaysia, p. 108.

Jacob, C. K., Edathil, T. T., Idicula, S. P., Jayaratnam, K. and Sethuraj, M. R. (1989). Effect of abnormal leaf fall disease caused by *Phytophthora* spp. on the yield of rubber tree. *Indian Journal of Natural Rubber Research*, **2**(2): 77-80.

Jacob, C. K., Prem, E. E., Manju, M. J., Idicula, S. P. and Edathil, T. T. (2006). Crop loss due to abnormal leaf fall disease of rubber (*Hevea brasiliensis)* caused by *Phytophthora* spp. *Natural Rubber Research*, **19**(2): 1-8.

Kinkel, L. L. (1977). Microbial population dynamics on leaves. *Annual Review of Phytopathology,* **35**:327-347.

Leben, C. (1974). Survival of plant pathogenic bacteria. Special circular 100. Ohio Agricultural Research Development Centre, Wooster, 21.

Mandavia, M.K., Khan, N. A., Gajera, H. P., Andharia, J. J. and Parameshwaran, M. (2000). Inhibitory effects of phenolic compounds on fungal metablosim in host-pathogen interactions in Fusarium wilt of cumin. *Allelopathy Journal,* **7**:85-92**.**

Manju, M. J., Idicula, S. P., Jacob, C. K., Vinod, K. K., Prem, E. E., Suryakumar, M. and Kothandaraman, R. (2001). Incidence and severity of Corynespora Leaf Fall (CLF) disease of rubber in coastal Karnataka and north Malabar region of Kerala. *Indian Journal of Natural Rubber Research*, **14** (2): 137-141.

Oke, O. A. (1988). Changes in chemical constituents of tobacco leaves infected with *Corynespora cassiicola* and *Colletotrichum nicotianae*. *Journal of Phytopathology,* **122**: (181-185).

Pridham, J. B. (1965). Low molecular weight phenols in higher plants. *Annual Review of Plant Physiology*, **16**: 13-36.

Rajalakshmy, V. K. and Jayaratnam, K. (2000). Root diseases and non microbial maladies. *In: Natural Rubber: Agromanagement and Crop Processing.* (Eds. P. J. George and C. Kuruvilla Jacob). Rubber Research Institute of India, Kottayam, India, pp.309-324.

Sankpal, S. D. and Nimbalkar, J. D. (1979). Effect of smut infection on sucrose metabolism in sugarcane. *Indian Phytopathology*, **32**: 306-307.